



d 1,6 d 2,0 d 2,5 d 3,0 d 3,5 d 4,0



code	d(mm)	B(cm)
R1.1620	1,6	20
R1.1625	1,6	25
R1.1630	1,6	30
R1.1635	1,6	35
R1.1640	1,6	40
R1.1645	1,6	45
R1.1650	1,6	50
R1.2035	2,0	35
R1.2040	2,0	40
R1.2045	2,0	45
R1.2050	2,0	50
R1.2055	2,0	55
R1.2060	2,0	60
R1.2065	2,0	65
R1.2070	2,0	70

code	d(mm)	B(cm)
R1.2075	2,0	75
R1.2540	2,5	40
R1.2545	2,5	45
R1.2550	2,5	50
R1.2555	2,5	55
R1.2560	2,5	60
R1.2565	2,5	65
R1.2570	2,5	70
R1.2575	2,5	75
R1.2580	2,5	80
R1.3040	3,0	40
R1.3045	3,0	45
R1.3050	3,0	50
R1.3055	3,0	55
R1.3060	3,0	60

code	d(mm)	B(cm)
R1.3065	3,0	65
R1.3070	3,0	70
R1.3075	3,0	75
R1.3080	3,0	80
R1.3555	3,5	55
R1.3560	3,5	60
R1.3565	3,5	65
R1.3570	3,5	70
R1.3575	3,5	75
R1.3580	3,5	80
R1.4060	4,0	60
R1.4065	4,0	65
R1.4070	4,0	70
R1.4075	4,0	75
R1.4080	4,0	80

Steel, Сталь, Tērauds (S)



Stainless steel, Нержавеющая сталь, Nerūsējošs tērauds (SS)



Brass, Латунь, Misiņš (B)



code	d(mm)	B(cm)	mat.
R6.3047	3,0	47	S
R6.3052	3,0	52	S
R6.3058	3,0	58	S
R6.3062	3,0	62	S
R6.3068	3,0	68	S
R6.4050	4,0	50	S
R6.4054	4,0	54	S

code	d(mm)	B(cm)	mat.
R6.4058	4,0	58	S
R6.4062	4,0	62	S
R6.4066	4,0	66	S
R6.4072	4,0	72	S
R6.4076	4,0	76	S
R6.4080	4,0	80	S
R6.4084	4,0	84	S

code	d(mm)	B(cm)	mat.
R6.4058S	4,0	58	SS
R6.4066S	4,0	66	SS
R6.4055G	4,0	55	B
R6.4060G	4,0	60	B
R6.4065G	4,0	65	B



(chrome plated)



G (gold plated)



code	d(mm)	B(cm)	color
KR11.1830	1,8	30	; G
KR11.1840	1,8	40	; G
KR11.2430	2,4	30	; G
KR11.2440	2,4	40	; G
KR11.2450	2,4	50	; G
KR11.3020	3,0	20	; G
KR11.3025	3,0	25	; G
KR11.3030	3,0	30	; G
KR11.3035	3,0	35	; G
KR11.3040	3,0	40	; G
KR11.3045	3,0	45	; G
KR11.3050	3,0	50	; G
KR11.3055	3,0	55	; G
KR11.3850	3,8	50	; G
KR11.3860	3,8	60	; G
KR11.4560	4,5	60	; G
KR11.4570	4,5	70	; G
KR11.5555	5,5	55	; G
KR11.5560	5,5	60	; G

code	d(mm)	B(cm)	color
KR11.5565	5,5	65	; G
KR11.5570	5,5	70	; G
KR11.5575	5,5	75	; G
R11.2025	2,0	25	; G
R11.2030	2,0	30	; G
R11.2035	2,0	35	; G
R11.2040	2,0	40	; G
R11.2045	2,0	45	; G
R11.2050	2,0	50	; G
R11.3545	3,5	45	; G
R11.3550	3,5	50	; G
R11.3555	3,5	55	; G
R11.3560	3,5	60	; G
R11.3565	3,5	65	; G
R11.5055	5,0	55	; G
R11.5060	5,0	60	; G
R11.5065	5,0	65	; G
R11.5070	5,0	70	; G
R11.5075	5,0	75	; G



code	color	d(mm)	B(cm)
R1.2045	4	2	45
R1.2050	4	2	50
R1.2055	3; 4	2	55
R1.2060	1; 3; 4	2	60
R1.2545	1; 3; 4	2,5	45
R1.2550	1; 4	2,5	50

code	color	d(mm)	B(cm)
R1.2555	1; 3; 4	2,5	55
R1.2560	1; 3; 4	2,5	60
R1.2565	1; 3; 4	2,5	65
R1.2570	4	2,5	70
R1.3050	1; 4	3	50
R1.3055	1; 3; 4	3	55

code	color	d(mm)	B(cm)
R1.3060	3; 4	3	60
R1.3065	1; 3; 4	3	65
R1.3070	1; 4	3	70
R1.3075	1; 4	3	75



code	d(mm)	B(cm)
928114	3	110

Colors:

- B** dark brown **D** light brown **F** natural
A black **C** brown **E** red **G** white

R7.2040

2 rows



R8.2040

3 rows



code	d(mm)	B(cm)
R7.2035	2,0	35
R7.2040	2,0	40
R7.2050	2,0	50
R7.2545	2,5	45
R7.2550	2,5	50
R7.2555	2,5	65
R7.2560	2,5	60

code	d(mm)	B(cm)
R7.2565	2,5	65
R7.2570	2,5	70
R7.2575	2,5	75
R7.3055	3,0	55
R7.3060	3,0	60
R7.3065	3,0	65
R7.3070	3,0	70

code	d(mm)	B(cm)
R8.2040	2,0	40
R8.2045	2,0	45
R8.2535	2,5	35
R8.2540	2,5	40
R8.2545	2,5	45
R8.3045	3,0	45
R8.3050	3,0	50



code	d(mm)	B(cm)
R5.2025	2,0	25
R5.2030	2,0	30
R5.2035	2,0	35
R5.2040	2,0	40
R5.2535	2,5	35
R5.2540	2,5	40
R5.2545	2,5	45
R5.2550	2,5	50
R5.3050	3,0	50
R5.3055	3,0	55

code	d(mm)	B(cm)
R5.3060	3,0	60
R4.2025	2,0	25
R4.2030	2,0	30
R4.2035	2,0	35
R4.2040	2,0	40
R4.2045	2,0	45
R4.2050	2,0	50
R4.2530	2,5	30
R4.2535	2,5	35
R4.2540	2,5	40

code	d(mm)	B(cm)
R4.2545	2,5	45
R4.2550	2,5	50
R4.2555	2,5	55
R4.2560	2,5	60
R4.3050	3,0	50
R4.3055	3,0	55
R4.3060	3,0	60
R4.3065	3,0	65
R4.3070	3,0	70

Colors:

A black

B dark brown

C brown

D light brown

E red

F natural

G white

Leather, Nylon; Koska, Heiron; Åda, Neilons



leather

code	d (mm)	B(cm)
92781	1,6	110
92785	1,6	140
92788	1,6	160
92791	2,0	110
92795	2,0	140
92798	2,0	160
92801	2,5	110
92805	2,5	140
92808	2,5	160
92811	3,0	110
92815	3,0	140
92818	3,0	160
92821	3,5	110
92825	3,5	140
92828	3,5	160
92831	4,0	80
92841	4,0	110
92845	4,0	140
92848	4,0	160
92851	4,5	110



leather with buckle

code	d (mm)	B (cm)
92783	1,6	110
92793	2,0	110
92797	2,0	140
92803	2,5	110
92813	3,0	110
92817	3,0	140
92823	3,5	110
92827	3,5	140
92833	4,0	80
92843	4,0	110
92847	4,0	140



nylon

code	d (mm)	B (cm)
92782	1,6	110
92792	2,0	110
92796	2,0	140
92802	2,5	110
92812	3,0	110
92816	3,0	140
92822	3,5	110
92826	3,5	140
92832	4,0	80
92842	4,0	110
92846	4,0	140

d 1,6 d 2,0 d 2,5 d 3,0 d 3,5 d 4,0 d 4,5



Colors:

B dark brown

D light brown


F natural

A black


C brown

E red

G white



code	d(mm)	B(cm)
R0.0040	1,6	180
R0.0041	2,0	165
R0.0042	3,0	165
R0.0043	4,0	180




code	d(mm)	B(cm)
R9.1620	16	20
R9.1625	16	25
R9.1630	16	30
R9.1635	16	35
R9.2025	20	25
R9.2030	20	30
R9.2035	20	35
R9.2040	20	40
R9.2535	25	35
R9.2540	25	40
R9.2545	25	45
R9.3040	30	40
R9.3045	30	45
R9.3050	30	50
R9.3055	30	55
R9.3560	35	60
R9.3565	35	65
R9.4070	40	70

code	d(mm)	B(cm)
R2.2030	20	30
R2.2035	20	35
R2.2040	20	40
R2.2045	20	45
R2.2050	20	40
R2.2055	20	55
R2.2540	25	40
R2.2545	25	45
R2.2550	25	50
R2.2555	25	55
R2.2560	25	60
R2.2565	25	65
R2.3050	30	50
R2.3055	30	55
R2.3060	30	60
R2.3065	30	65
R2.3070	30	70
R3.2030	20	30
R3.2035	20	35

code	d(mm)	B(cm)
R3.2040	20	40
R3.2045	20	45
R3.2050	20	50
R3.2535	25	35
R3.2540	25	40
R3.2545	25	45
R3.2550	25	50
R3.2555	25	55
R3.2560	25	60
R3.2565	25	65
R3.2570	25	70
R3.3040	30	40
R3.3045	30	45
R3.3050	30	50
R3.3055	30	55
R3.3060	30	60
R3.3065	30	65
R3.3070	30	70
R3.3075	30	75




code	A(mm)	B(cm)
O1400	28	50
O1401	28	60



① Ring

② Swivel



③ Swivel+Snap



code	d(mm)	B(cm)	links	var.
R0.1423a	2,3	40	8	1
R0.1423	2,3	45	10	1
R0.1430a	3,0	50	8	1 ; 2
R0.1430	3,0	55	10	1 ; 2
R0.1430a-1	3,0	50	8	3
R0.1430-1	3,0	55	10	3
R0.1431	3,0	60	11	1 ; 2
R0.1432	3,2	55	9	1 ; 2

code	d(mm)	B(cm)	links	var.
R0.1432-1	3,2	55	9	3
R0.1433	3,2	60	11	1 ; 2
R0.1434	3,2	65	13	1 ; 2
R0.1438	3,8	60	9	1 ; 2
R0.1438-1	3,8	65	9	3
R0.1439	3,8	70	11	1 ; 2
R0.1440	3,8	75	12	1 ; 2



DR1.2545 DR1.3065
 DR1.2550 DR1.3565
 DR1.2555 DR1.3570
 DR1.3055 DR1.3575
 DR1.3060




DR3.2540 DR3.3065
 DR3.2545 DR3.3560
 DR3.2550 DR3.3565
 DR3.3055 DR3.3570
 DR3.3060


code	d(mm)	B(cm)
DR1.2545	2,5	45
DR1.2550	2,5	50
DR1.2555	2,5	55
DR1.3055	3,0	55
DR1.3060	3,0	60
DR1.3065	3,0	65
DR1.3565	3,5	65
DR1.3570	3,5	70
DR1.3575	3,5	75

code	d(mm)	B(cm)
DR3.2540	2,5	40
DR3.2545	3,0	60
DR3.2550	3,0	70
DR3.3055	3,5	65
DR3.3060	3,5	70
DR3.3065	3,0	70
DR3.3560	3,5	65
DR3.3565	3,5	70
DR3.3570	3,5	75




code	d(mm)	B(cm)	code	d(mm)	B(cm)
DR2.2545	2,5	45	DR2.3060	3,0	60
DR2.2550	2,5	50	DR2.3065	3,0	65
DR2.2555	2,5	55	DR2.3555	3,5	55
DR2.2560	2,5	60	DR2.3560	3,5	60
DR2.3050	3,0	50	DR1.3565	3,5	65
DR2.3055	3,0	55	DR1.3570	3,5	70






KBGB0m




KBGB0




KBGB5




KBGB1




KBGB3




K2450120




K2450100




K245090




K245080




K245070




K245260




K245280




K2452100




K245060




K245050




K735008




K735006




K735005



K735004



KTR16



KB5055



KB22512



KB22516




KB22519



KB22528




KB300217



KB2002

whirly 5-8mm
AGRO05



whirly 10-16mm
AGRO10



whirly 20-25mm
AGRO20



R0.0099
circle



R0.0099
heart




R0.0099
bone

capsule





R0.0012

R0.0011



K9011
snap



R00006



R00006